

LIS007720640B2

(12) United States Patent

Inoue et al.

(10) Patent No.: US 7,720,640 B2 (45) Date of Patent: *May 18, 2010

(54) DIAGNOSTIC DATA DETECTION AND CONTROL

- (75) Inventors: **Keisuke Inoue**, Sagamihara (JP); **Tsuyoshi Ide**, Kawasaki (JP)
- (73) Assignee: International Business Machines Corporation, Armonk, NY (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 725 days.

This patent is subject to a terminal disclaimer.

- (21) Appl. No.: 11/674,145
- (22) Filed: Feb. 13, 2007

(65) Prior Publication Data

US 2007/0129912 A1 Jun. 7, 2007

- (51) Int. Cl. *G06F 11/30* (2006.01)

(56) References Cited

U.S. PATENT DOCUMENTS

6,587,812 B1 7/2003 Takayama 6,795,793 B2 9/2004 Shayegan et al.

FOREIGN PATENT DOCUMENTS

JP	1283599	11/1989
JР	2168350	6/1990
JР	2238495	9/1990
JР	3032967	2/1991
JP	5180730	7/1993
JP	5342191	12/1993

JP	6050851	2/1994
JP	6096234	4/1994
JP	6129882	5/1994
JP	6214975	8/1994
JP	8054924	2/1996
JP	9034719	2/1997

(Continued)

OTHER PUBLICATIONS

Office Action from U.S. Appl. No. 11/077,285 dated Jun. 22, 2006.

(Continued)

Primary Examiner—Stefanos Karmis (74) Attorney, Agent, or Firm—Louis Herzberg; Shimokaji & Associates, P.C.

(57) ABSTRACT

Provides a diagnostic apparatus for diagnosing a measured object based on time-series data of a plurality of parameters measured from the measured object. An example of an apparatus includes a change-point score calculating portion for calculating a time-series change-point score with which each of the plurality of parameters changes according to passage of time based on the time-series data on the parameter, a changepoint correlation calculating portion for calculating a changepoint correlation indicating strength by which each of the plurality of parameters is associated with each of other parameters based on the change-point scores of the parameter and the other parameter, and a parameter outputting portion for outputting a set of parameters of which calculated degrees of associations are higher than a predetermined reference change-point correlation as a set of mutually strongly associated parameters.

5 Claims, 16 Drawing Sheets

